

**POWEROIL TOPAZ H350**

Meets requirements of US FDA 21 CFR 178 . 3620 (b) standard.

Sr. No	Characteristics	Unit	Test Method	Guaranteed Data	
				min	
1.	Appearance	-	visual		Transparent, Colourless, bright and clear oily liquid
2.	Colour	Sayboly	ASTM D 156	+25	
3.	Density at 20 ° C	gms/ml	ASTM D 1298	0.85	0.88
4.	Kinematic viscosity at 40° C	cSt	ASTM D 445	61.2	74.8
5.	Flash point, COC	° C	ASTM D92	200	-
6.	Pour Point	° C	ASTM D97	-	-9
7.	Ultraviolet Absorbance, 280 to 289 nm 290 to 289 nm 300 to 329 nm 330 to 350 nm	Abs/cm	CFR 178.3620 (b)	- - - -	4.0 3.3 2.3 0.8

POWEROIL TOPAZ H350 is a light white oil formulated from highly refined hydrotreated base oils which is colourless , tasteless and odorless. It meets requirements of US FDA 21 CFR 178.3620 (b).

Application : POWEROIL White Oils are suitable for use in process requiring clear white oils. They find extensive usage in textile processing (non staining lubrication), incense & perfume manufacture , Hot Melt Adhesive , plastic . paper and cosmetic industries , several oil based formulations, hair oils, hair lotions, shoe polish and petroleum jelly manufacturing industries.

Performance Benefits : Excellent oxidation resistant , High film strength & Non staining

Disclaimer: APAR makes no warranties, representation or conditions of any kind expressed or implied for use with respect to these products. Final determination of suitability of the products for the application contemplated by the user is solely their responsibility.