

Safety Data Sheet In accordance with regulations (EC) no.830/2015

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1 Product Identifier

Product name POWEROIL CITRINE L 50

Chemical name Distillates (petroleum) hydrotreated light paraffinic

CAS No. 64742-55-8 **EC No.** 265-158-7

1.2 Relevant identified uses of the substances or mixture and uses advised against

Relevant identified uses Process oil
Uses advised against Not applicable

1.3 Details of the supplier of the safety data sheet

Registered company name Apar Industries Limited

Address 18 T.T.C., MIDC Industrial Area, Thane Belapur Road, Rabale, Navi Mumbai – 400701. INDIA.

Telephone +91 22 61110444 (Office hours 9.30am to 17.00pm)

 Fax
 +91 22 2760 2692

 Website
 www.apar.com

 Email
 hse@apar.com

1.4 Emergency telephone number

Association / Organisation Not Available
Emergency telephone numbers +91 9833811132
Other emergency telephone numbers Not Available

SECTION 2 HAZARD IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (EC) no. 1272/2008

Physical and chemical Hazards Not classified

Human Health Aspiration Hazard Category 1 – H304

Environment Not Classified

Classification (1999/45/EEC) Not Classified

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Human Health

May be fatal if swallowed and enters airways.

2.2 Label elements

Contains Distillates (petroleum), hydrotreated light paraffinic

CLP label elements



Signal word DANGER

Hazard statement(s)

H304 May be fatal if swallowed and enters airways

P301+P310 If SWALLOWED: Immediately call a POISON CENTER/doctor/physician/first aider.

P331 Do NOT induce vomiting.

Precautionary statement(s) Storage

P405 Store locked up.

Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorized chemical landfill or if organic to high temperature

incineration.

Product Name : POWEROIL CITRINE L 60

SDS (EU 830/2015)
Version No. : 01 Issue Date : 1st October 2020

Page 1 of 6



Safety Data Sheet In accordance with regulations (EC) no.830/2015

2.3 Other hazards		Not available					
SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS							
3.1 Substances							
1. CAS No.	% (Weight)	Name	Classification according to regulation	Classification			
2. EC No.			(EC) No.1272/2008(CLP)	(67/548/EEC)			
1. 64742-55-8	100	Distillates (petroleum),	Assistation Horord Catagon, 1 . H204	Vn. D45			
2. 265-158-7		hydrotreated light paraffinic	Aspiration Hazard Category 1 : H304	Xn; R65			

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Ingredient notes

The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346.

SECTION 4 FIRST AID MEASURES

4.1 Description of first aid measures

Eye Contact If this product comes in contact with eyes:

> Wash out immediately with water

> If irritation continues, seek medical attention.

> Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

Skin Contact If skin or hair contact occurs:

> Flush skin and hair with running water (and soap if available).

> Seek medical attention in event of irritation.

Inhalation > If fumes, aerosol or combustion products are inhaled remove from contaminated area. Other

measures are usually unnecessary.

Ingestion ➤ Immediately give a glass of water.

First aid is not generally required. If in doubt, contact a Poisons Information Centre or a Doctor

4.2 Most important symptoms and effects, both acute and delayed

See section 11

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIRE FIGHTING MEASURES

- 5.1 Extinguishing media
 - > Dry chemicals Powder.
 - ➤ Foam.
 - ➤ BCF (where regulations permit).
 - > Carbon dioxide (CO2).
 - ➤ Water spray or fog Large fires only.

5.2 Special hazards arising from the substrate or mixture

Fire incompatibility Avoid contamination with oxidizing agents i.e. nitrates, oxidizing acids, chlorine acids, chlorine bleaches, pool chlorine etc. as ignition may results.

5.3 Advice for firefighters

Fire fighting > Alert Fire Brigade and tell them location and nature of hazard.

> Wear full body protective clothing with breathing apparatus.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

See section 8

6.2 Environmental precautions

See section 12

6.3 Methods and material for containment and cleaning up

- > Remove all ignitions sources.
- > Clean up all spills immediately.
- **Minor spills** > Avoid breathing vapours and contact with skin and eyes.
 - > Control personal contact with the substance, by using protective equipment.

Product Name : POWEROIL CITRINE L 60 Version No. : 01 Issue Date : 1st October 2020



Safety Data Sheet In accordance with regulations (EC) no.830/2015

- Contain and absorb spill with sand, earth, inert material or vermiculite.
- ➤ Wipe up
- > Place in a suitable, labelled container for waste disposal.

SECTION 7 HANDLING AND STORAGE

7.1 Precautions for safe handling

- > Avoid all personal contact, including inhalation.
- > Wear protective clothing when risk of exposure occurs.
- > Use in a well-ventilated area.
- > Prevent concentration in hollows and sumps.
- > DO NOT enter confined spaces until atmosphere has been checked.
- > Avoid smoking, naked lights or ignition sources.

Safe Handling

- ➤ Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke.
- > Keep containers securely sealed when not in use. Avoid physical damage to containers.
- Always wash hands with soap and water after handling.
- > Work clothes should be laundered separately.
- ➤ Use good occupational work practice.
- ➤ Observe manufacturer's storage and handling recommendations contained within this SDS. Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions.

Fire and explosion protection See section 5

7.2 Conditions for safe storage, including any in compatibilities

Suitable container > Metal can or drum

- > Packaging as recommended by manufacturer.
- > Check all containers are clearly labeled and free from leaks.

Storage incompatibility Avoid reaction with oxidizing agents.

7.3 Specific end use(s) Not available

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

DERIVED NO EFFECT LEVEL (DNEL) Not available PREDICTED NO EFFECT LEVEL (PNEL) Not available OCCUPATIONAL EXPOSURE LIMITS (OEL)

8.2 Exposure controls

8.2.1 Appropriate engineering controls

8.2.2 Personal protection









Eve and face protection	Safety glasses with side shields

Chemical goggles.

Skin protection See Hand protection below

Hands/feet protection Wear general protective gloves, e.g. light weight rubber gloves.

Body protection See Other protection below

Other protection No special equipment needed when handling small quantities.

OTHERWISE:
Overalls.

Barrier cream. Eyewash unit.

Thermal hazards Not Available

Respiratory protection

Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

8.2.3. Environmental exposure controls See section 12



Safety Data Sheet In accordance with regulations (EC) no.830/2015

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance

Physical stateLiquidColorColourlessFormLiquid

Odor Mild Hydrocarbon odour

Odour threshold Not available pH Not available

Melting point/Pour point< -12°C (ASTM D-97)</th>Flash pointOpen cup: > 140°C

Evaporation rateNot availableFlammability (solid, gas)Not availableFlammability limits in air,Not available

lower, % by volume

Flammability limits in air, Not available

upper, % by volume

Vapour pressureNot availableVapour density>1 [Air = 1]

Density $0.850 - 0.870 \text{ gm/ml} \text{ at } 29.5^{\circ}\text{C}$

Solubility(ies)

Solubility (water) Insoluble

Partition coefficient

(n-octanol/water)Not availableDecomposition temperatureNot availableAuto-ignition temperature> 200°C

Viscosity, Kinematic at 40°C 7.00 to 9.00 (40°C)

(104°F) No Data
Explosive properties No Data

Oxidising properties

9.2 Other Information Not Available

SECTION 10 STABILITY AND REACTIVITY

10.1 Reactivity Stable.

10.2 Chemical stabilityUnder normal conditions of storage and use, hazardous reactions will not occur.

10.3 Possibility of hazardous Avoid temperatures exceeding the flash point.

ReactionsNo specific data. **10.4 Conditions to avoid**No specific data.

10.5 Incompatible materials Under normal conditions of storage and use, hazardous decomposition products should

10.6 Hazardous decomposition not be produced.

products

SECTION 11 TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Toxic Dose 1 – LD 50 >5000 mg/kg (oral rat) **Toxic Dose 2 – LD 50** >5000 mg/kg (Dermal/Rabbit)

Acute toxicity:

Acute toxicity (Oral LD50) >5000 mg/kg Rat

Acute toxicity (Inhalation LC50) >5.53 mg/l (dust/mist) Rat 4 hours

Inhalation Not relevant at normal room temperatures. When heated, irritating vapours may be formed.

Ingestion Harmful if swallowed.

Skin contact No specific health warnings noted.

Product Name : POWEROIL CITRINE L 60
Version No. : 01 Issue Date : 1st October 2020



Safety Data Sheet In accordance with regulations (EC) no.830/2015

Eye contactNo specific health warnings noted.Health WarningsObserve good chemical hygiene practices.Route of entryIngestion. Skin and/or eye contact.

Medical Symptoms Diarrhoea. Nausea, vomiting

SECTION 12 ECOLOGICAL INFORMATION

12.1 Toxicity

Acute fish Toxicity

No considered toxic to fish

LC50, 96 Hrs., Fish >1000 mg/l EC50, 48 Hrs., Daphnia >1000 mg/l IC 50, 72 Hrs., Algae >1000 mg/l

12.2 Persistence and degradability

degradability The product is not readily biodegradable.

12.3 Bioaccumulative potential

Bioaccumulation potential Will not bio-accumulate

12.4 Mobility in soil

Mobility The product is insoluble in water and will spread on the water surface.

12.5 Results of PBT and vPvB assessment

	P	В	Т
Relevant available data	Not available	Not available	Not available
PBT Criteria fulfilled?	Not available	Not available	Not available

12.6 Other adverse effectsNo data available

SECTION 13 DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

A Hierarchy of Controls seems to be common - the user should investigate:

- Reduction
- Reuse

Product / Packaging disposal

- Recycling
- Disposal (if all else fails)

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to reclaim the product by filtration, distillation or some other means. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate.

Waste treatment options

Not available

Sewage disposal options

Not available

SECTION 14 TRANSPORT INFORMATION

General The product is not covered by international regulation on the transport of dangerous

goods(IMDG,IATA,ADR/RID)

14.1 UN Number Not classified as dangerous goods for transport.

14.2 UN proper shipping name
14.3 Transport hazard class(es)
14.4 Packing group
Not applicable
Not applicable

14.5 Environmental hazards Not classified as marine pollutant/environmentally hazardous.

14.6 Special precautions for user
14.7 Transport in bulk according to
Not applicable

Annex II of MARPOL 73/78 and the

IBC Code

Product Name : POWEROIL CITRINE L 60

Version No. : 01 Issue Date : 1st October 2020



Safety Data Sheet In accordance with regulations (EC) no.830/2015

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

National Regulations

Water Hazard Class (Germany): WGK 1

15.2. Chemical safety assessment Not Available

16 - Other Information

Risk Phrases in full

R65 Harmful: May cause lung damage if swallowed.

NC Not classified

Hazard Statements in Full

H304 May be fatal if swallowed and enters airways.

Abbreviations

 IMDG – CODE
 International maritime dangerous goods code.

 ICAO
 International Civil Aviation Organization

 IATA
 International air transport association

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is

not

to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Product Name : POWEROIL CITRINE L 60 Version No. : 01 Issue Date : 1st October 2020