

Safety Data Sheet In accordance with regulations (EC) no.830/2015

## SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1 Product Identifier

Relevant identified uses

**Product name** POWEROIL PETROLEUM JELLY - USP (2170A8)

(White Petrolatum-USP)

**Chemical Name** Petrolatum Other means of Identification Not available **CAS** number 8009-03-08 EC number 232-373-2

1.2 Relevant identified uses of the substances or mixture and uses advised against

**Product category Consumer** PC29: Pharmaceuticals

PC39: Cosmetics, personal care products

**Sectors of Uses** SU21: Consumer uses: Private households

> SU3 : Industrial uses : Uses of substances as such or in preparations at industrial sites Fully refined Petrolatum is typically used as a blending base in a variety of application

Uses advised against Cosmetic, pharmaceutical, food and general industries

Not applicable

## 1.3 Details of the supplier of the safety data sheet

Registered company name Apar Industries Limited

**Address** 18 T.T.C., MIDC Industrial Area, Thane Belapur Road, Rabale, Navi Mumbai 400701. INDIA.

**Telephone** +91 22 61110444 (Office hours 9.30am to 17.00pm)

Fax +91 22 2760 2692 Website www.apar.com **Email** hse@apar.com

## 1.4 Emergency telephone number

Not Available Association / Organisation +91 9833811132 **Emergency telephone numbers** Not Available Other emergency telephone

numbers

## **SECTION 2 HAZARD IDENTIFICATION**

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

## 2.2 Label elements

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS** 3.1 Substances 1. CAS No. % (Weight) Name Classification according to 2. EC No. regulation (EC) 3. Index No. No.1272/2008(CLP) 1. 8009-03-8 100 Petrolatum Not applicable 2. 232-373-2 3. Not Available

SDS (EU 830/2015) Version No.: 01 Issue Date: 1<sup>st</sup> October 2020 Page 1 of 6



Safety Data Sheet In accordance with regulations (EC) no.830/2015

3.2 Mixtures

See 'Information on ingredients' in section 3.1

#### SECTION 4 FIRST AID MEASURES

4.1 Description of first aid measures

Eye Contact WHEN MOLTEN ONLY (molten product can cause thermal burns) – Immediately flush eyes

with water and continue washing for at least 15 minutes. Obtain medical attention.

Skin Contact WHEN MOLTEN ONLY (molten product can cause thermal burns) — In serious cases, use

emergency shower immediately. Immediately flush skin thoroughly with water for at least 15

minutes while removing contaminated clothing and shoes. Obtain medical attention.

Inhalation No emergency care anticipated. WHEN MOLTEN ONLY (molten product can cause

thermal burns). Obtain medical attention immediately.

Swallowing WHEN MOLTEN ONLY (molten product can cause thermal burns). Obtain medical

attention immediately. This is not a toxic substance.

4.2 Most important symptoms and effects, both acute and delayed

See section 11

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5 FIRE FIGHTING MEASURES

- 5.1 Extinguishing media
  - > Dry chemicals Powder.
  - > Foam.
  - > BCF (Where regulations permit).
  - Carbon dioxide (CO2).
  - > Water spray or fog.
- 5.2 Special hazards arising from the substrate or mixture

Fire incompatibility > Avoid cor

Avoid contamination with oxidizing agents i.e. nitrates, oxidizing acids, chlorine acids,

chlorine bleaches, pool chlorine etc. as ignition may results.

5.3 Advice for firefighters

Fire fighting > Alert Fire Brigade and tell them location and nature of hazard.

> Wear full body protective clothing with breathing apparatus.

## **SECTION 6 ACCIDENTAL RELEASE MEASURES**

6.1 Personal precautions, protective equipment and emergency procedures

See section 8

6.2 Environmental precautions

See section 12

6.3 Methods and material for containment and cleaning up

> Clean up all spills immediately.

> Avoid contact with eyes.

Minor spills ➤ Wear safety glasses.

6.4 Reference to other sections

Personal protective Equipment advice is contained in Section 8 of this SDS.

#### **SECTION 7 HANDLING AND STORAGE**

7.1 Precautions for safe handling

Safe Handling

The greatest potential for injury caused by molten materials occurs during purging of machinery (moulders, extruders etc.) It is essential that workers in the immediate area of the machinery wear eye and skin protection (such as full face, safety glasses, heat resistant gloves, overalls and safety boots) as protection from thermal burns.

Fire and explosion protection S

See section 5

Product Name: POWEROIL PETROLEUM JELLY-USP 2170A8

Version No.: 01 Issue Date: 1<sup>st</sup> October 2020

SDS (EU 830/2015)



Safety Data Sheet In accordance with regulations (EC) no.830/2015

Suitable container	➤ Metal or HDPE can or drum
	➤ Packaging as recommended by manufacturer.
	➤ Check all containers are clearly labeled and free from leaks.
Storage incompatibility	Avoid contamination of water, foodstuffs, feed or seed.
	CARE: Water in contact with heated material may cause foaming or a steam explosion with
	possible severe burns from wide scattering of hot material. Resultant overflow of containers
	may result in fire.
	➤ Avoid reaction with oxidising agents
7.3 Specific end use(s)	Section 1.2
SECTION 8 EXPOSURE CONTRO	DLS / PERSONAL PROTECTION
8.1 Control parameters	

## **DERIVED NO EFFECT LEVEL** (DNEL)

Not available

## PREDICTED NO EFFECT LEVEL (PNEL)

Not available

# **OCCUPATIONAL EXPOSURE**

LIMITS (OEL)	
Not available	
8.2 Exposure controls	
8.2.1 Appropriate engineering	For molten materials:
controls	Provide mechanical ventilation; in general such ventilation should be provided at
	compounding/ converting areas and at fabricating/ filling work stations where the material
	is heated. Local exhaust ventilation should be used over and in the vicinity of machinery
	involved in handling the molten material.
	Keep dry!!
8.2.2 Personal protection	
Eye and face protection	➤ For molten materials : Safety glasses with side shields
	For molten materials: Chemical goggles.
Skin protection	See Hand protection below
Hands/feet protection	For molten materials: Wear general protective gloves, e.g. light weight rubber gloves.
Body protection	See Other protection below
Other protection	When handling hot or molten liquids, wear trousers or overalls outside of boots, to avoid spills entering boots. Usually handled as molten liquid which requires worker thermal protection and increases hazard of vapour exposure.
	CAUTION: Vapours may be irritating.
	No special equipment needed when handling small quantities.
Thermal hazards	Not Available
Respiratory protection	
	Where protection from nuisance le (EN 143) dust masks. Use respirators and components
tested and approved under appropria	te government standards such as NIOSH (US) or CEN (EU) or national equivalent.
8.2.3. Environmental exposure	Do not let product enter drains.
controls	

Product Name: POWEROIL PETROLEUM JELLY-USP 2170A8 SDS (EU 830/2015) Version No.: 01 Issue Date: 1st October 2020 Page 3 of 6



Safety Data Sheet In accordance with regulations (EC) no.830/2015

#### SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

**Appearance** 

Physical state Semi-Solid

**Color** White to light yellow

Form Semi-Solid
Odor None

Odour threshold Not applicable

pH Not applicable

Melting point $55-60^{\circ}\text{C}$  (ASTM D 127)Flash pointClosed cup: > 180°C

Evaporation rateNo DataFlammability (solid, gas)Not applicableFlammability limits in air,No Data

lower, % by volume

Flammability limits in air, No Data

upper, % by volume

Vapour pressure < 0.2 hPa at 80°C

Vapour density No Data

**Density** 0.815 to 0.830 at 60°C

Solubility(ies)

Solubility (water) Insoluble

Partition coefficient

(n-octanol/water)Not AvailableDecomposition temperatureNo DataAuto-ignition temperatureNo Data

Viscosity, Kinematic at 100°C (212°F) 0.082 cm<sup>2</sup>/s to 0.090 cm<sup>2</sup>/s (8.20 to 9.00 cSt)

**Explosive properties**No Data **Oxidising properties**No Data

9.2 Other Information Not Available

## **SECTION 10 STABILITY AND REACTIVITY**

10.1 Reactivity Stable.

**10.2 Chemical stability**Under normal conditions of storage and use, hazardous reactions will not occur.

**10.3 Possibility of hazardous** Avoid temperatures exceeding the flash point.

**Reactions** Extreme temperature and direct sunlight/ultraviolet light and strong oxidizing agents...

**10.4 Conditions to avoid**No specific data.

10.5 Incompatible materials Under normal conditions of storage and use, hazardous decomposition products should

**10.6 Hazardous decomposition** not be produced.

products

## **SECTION 11 TOXICOLOGICAL INFORMATION**

Acute toxicity

No data available (Petrolatum non carcinogenic)

LD50 Intra peritoneal - Mouse - > 50,000 mg/kg(Petrolatum non carcinogenic)

Skin corrosion/irritationNo data available (Petrolatum non carcinogenic)Serious eye damage/eye irritationNo data available (Petrolatum non carcinogenic)Respiratory sensitiserNo data available (Petrolatum non carcinogenic)Skin sensitisationNo data available (Petrolatum non carcinogenic)

Mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity**No data available (Petrolatum non carcinogenic) **Reproductive toxicity**Contains no ingredient listed as toxic to reproduction.

**Specific target organ toxicity**No data available

Product Name : POWEROIL PETROLEUM JELLY-USP 2170A8 Version No. : 01 Issue Date :  $1^{st}$  October 2020

SDS (EU 830/2015) Page 4 of 6



Safety Data Sheet In accordance with regulations (EC) no.830/2015

- single exposure

Specific target organ toxicity

No data available.

- repeated exposure

**Epidemiology** No epidemiological data is available for this product.

#### **SECTION 12 ECOLOGICAL INFORMATION**

12.1 Toxicity	No data available
12.2 Persistence and degradability	No data available

Ingredient	Persistence : Water/Soil	Persistence : Air
	No data available for all ingredients	No data available for all ingredients

## 12.3 Bioaccumulative potential

Ingredient	Bioaccumulation
	No data available for all ingredients

## 12.4 Mobility in soil

Ingredient	Mobility
	No data available for all ingredients

#### 12.5 Results of PBT and vPvB assessment: Substance is not PBT/vPvB

#### **12.6 Other adverse effects**No data available

## **SECTION 13 DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

Product / Packaging disposal	Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.
Waste treatment options	Not available
Sewage disposal options	Not available

## **SECTION 14 TRANSPORT INFORMATION**

### Labels Required

Marine Pollutant NO

Land transport (Not Available)NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODSAir transport (ICAO-IATA/DGR)NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODSSee transport (IMDG-Code/GGVSee)NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODSInland waterways transport (ADN)NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of

MARPOL 73/78 and the IBC Code

Not applicable

#### **SECTION 15 REGULATORY INFORMATION**

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

## PETROLATUM (8009-03-8) IS FOUND ON THE FOLLOWING REGULATORY LISTS

European Customs Inventory of Chemical Substances ECICS (English)

European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI International

European Trade Union Confederation (ETUC) Priority List for REACH Authorisation

Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

European Union - European Inventory of Existing Commercial Chemical

Substances (EINECS) (English)

Netherlands Occupational Exposure Limits (Dutch)

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable - : 67/548/EEC, 1999/45/EC, 98/24/EC, 92/85/EC, 94/33/EC, 91/689/EEC, 1999/13/EC, Commission Regulation (EU) 2015/830, Regulation (EC) No 1272/2008 and their amendments as well as the following British legislation: - The Control of Substances Hazardous to Health Regulations (COSHH) 2002 - COSHH Essentials - The Management of Health and Safety at Work Regulations 1999.

Product Name : POWEROIL PETROLEUM JELLY-USP 2170A8

SDS (EU 830/2015)
Version No.: 01 Issue Date : 1<sup>st</sup> October 2020

Page 5 of 6



Safety Data Sheet In accordance with regulations (EC) no.830/2015

## **SECTION 15 REGULATORY INFORMATION**

15.2. Chemical safety assessment

Inventory status	Inventory name	On inventory
Country(s) or region On		(yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances	Yes
Europe	(EINECS)	Yes
Japan	European List of Notified Chemical Substances (ELINCS)	No
Korea	Inventory of Existing and New Chemical Substances (ENCS)	Yes
New Zealand	Existing Chemicals List (ECL)	Yes
Philippines	New Zealand Inventory	Yes
United States & Puerto Rico	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
	Toxic Substances Control Act (TSCA) Inventory	

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16 - Other Information

Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific
	material designated and may not be valid for such material used in combination with any other
<b>Abbreviations</b> IMDG – CODE	materials or in any process, unless specified in the text.
ICAO	International maritime dangerous goods code.
IATA	International Civil Aviation Organization International air transport association

Product Name : POWEROIL PETROLEUM JELLY-USP 2170A8 Version No. : 01 | Issue Date : 1 $^{\rm st}$  October 2020