

Safety Data Sheet In accordance with regulations (EC) no.830/2015

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1 Product Identifier

Product name POWEROIL OPAL LP 100

Chemical name Distillates (petroleum) hydrotreated heavy paraffinic

CAS No. 64742-54-7 EC No. 265-157-1

1.2 Relevant identified uses of the substances or mixture and uses advised against

Relevant indentified uses Lubricating Oil Base Stock

Uses advised against Not applicable

1.3 Details of the supplier of the safety data sheet

Registered company name Apar Industries Limited

Address 18 T.T.C., M.I.D.C. Industrial Area, Thane Belapur Road, Rabale, Navi Mumbai 400701. INDIA.

Telephone +91 22 61110444 (Office hours 9.30am to 17.00pm)

 Fax
 +91 22 2760 2692

 Website
 www.apar.com

 Email
 hse@apar.com

1.4 Emergency telephone number

Association / Organisation Not Available
Emergency telephone numbers +91 9833811132
Other emergency telephone numbers Not Available

SECTION 2 HAZARD IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (EC) no. 1272/2008

Physical and chemical Hazards Not classified
Human Health Not classified
Environment Not Classified

Classification (1999/45/EEC) Not Classified

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

2.2 Label elements

CLP label elements Not Applicable
Signal word No signal word

Hazard statement(s) No known significant effects or critical hazards.

P301+P310 If SWALLOWED: Immediately call a POISON CENTER/doctor/physician/first aider.

P331 Do NOT induce vomiting.

Precautionary statement(s) Storage

P405 Store locked up.

Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorized chemical landfill or if organic to high temperature

incineration.

2.3 Other hazards Not available

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substance

| 1. CAS No. 2. EC No. | % (Weight) | Name | Classification according to regulation (EC) No.1272/2008(CLP) | Classification (67/548/EEC) |
|-------------------------|------------|--------------------------|---|-----------------------------|
| 1. 64742-54-7 | 100 | Distillates (petroleum), | | |
| 2. 265-157-1 | | hydrotreated heavy | Not classified | Not classified |
| | | paraffinic | | |

Ingredient notes

The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346.

Product Name : POWEROIL OPAL LP 100

SDS (EU 830/2015)

Version No. : 02 Issue Date : 1st October 2020

Page 1 of 6



Safety Data Sheet In accordance with regulations (EC) no.830/2015

| SECTIO | N I A | FIDOT | · AID | | CLIDEC | ٠. |
|---------|-------|-------|-------|------------|--------|----|
| SECTION | IN A | LIKOL | AllJ | $M \cap F$ | ASUKES | ħ. |

4.1 Description of first aid measures

Skin Contact

If this product comes in contact with eyes: Eye Contact

> Wash out immediately with water

> If irritation continues, seek medical attention.

> Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

If skin or hair contact occurs:

Flush skin and hair with running water (and soap if available).

> Seek medical attention in event of irritation.

> If fumes, aerosol or combustion products are inhaled remove from contaminated area. Other **Inhalation**

measures are usually unnecessary.

> Immediately give a glass of water. Ingestion First aid is not generally required. If in doubt, contact a Poisons Information Centre or a

4.2 Most important symptoms and effects, both acute and delayed

See section 11

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIRE FIGHTING MEASURES

5.1 Extinguishing media

- > Dry chemicals Powder.
- ➤ Foam.
- > BCF (where regulations permit).
- > Carbon dioxide (CO2).
- ➤ Water spray or fog Large fires only.

5.2 Special hazards arising from the substrate or mixture

Fire incompatibility > Avoid contamination with oxidizing agents i.e. nitrates, oxidizing acids, chlorine acids, chlorine bleaches, pool chlorine etc. as ignition may results.

5.3 Advice for firefighters

Fire fighting Alert Fire Brigade and tell them location and nature of hazard.

> Wear full body protective clothing with breathing apparatus.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

See section 8

6.2 Environmental precautions

See section 12

6.3 Methods and material for containment and cleaning up

> Remove all ignitions sources.

Clean up all spills immediately.

- **Minor spills** > Avoid breathing vapours and contact with skin and eyes.
 - Control personal contact with the substance, by using protective equipment.
 - Contain and absorb spill with sand, earth, inert material or vermiculite.
 - ➤ Wipe up.
 - > Place in a suitable, labelled container for waste disposal.

Product Name : POWEROIL OPAL LP 100 Version No.: 02 Issue Date: 1st October 2020



Safety Data Sheet In accordance with regulations (EC) no.830/2015

SECTION 7 HANDLING AND STORAGE

7.1 Precautions for safe handling

- > Avoid all personal contact, including inhalation.
- > Wear protective clothing when risk of exposure occurs.
- > Use in a well-ventilated area.
- > Prevent concentration in hollows and sumps.
- > DO NOT enter confined spaces until atmosphere has been checked.
- > Avoid smoking, naked lights or ignition sources.
- Safe Handling

 Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke.
 - > Keep containers securely sealed when not in use. Avoid physical damage to containers.
 - Always wash hands with soap and water after handling.
 - > Work clothes should be laundered separately.
 - > Use good occupational work practice.
 - ➤ Observe manufacturer's storage and handling recommendations contained within this SDS. Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions.

Fire and explosion protection

See section 5

7.2 Conditions for safe storage, including any in compatibilities

Suitable container > Metal can or drum

- ➤ Packaging as recommended by manufacturer.
- > Check all containers are clearly labeled and free from leaks.

Storage incompatibility Avoid reaction with oxidizing agents. 7.3 Specific end use(s) Not available

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

DERIVED NO EFFECT LEVEL (DNEL)

Not available

PREDICTED NO EFFECT LEVEL (PNEL)

Not available

OCCUPATIONAL EXPOSURE LIMITS

(OEL)

8.2 Exposure controls

8.2.1 Appropriate engineering controls

8.2.2 Personal protection









Eye and face protection > Safety glasses with side shields

➤ Chemical goggles.

Skin protection See Hand protection below

Hands/feet protection Wear general protective gloves, e.g. light weight rubber gloves.

Body protection See Other protection below

Other protection No special equipment needed when handling small quantities.

OTHERWISE:
Overalls.

Barrier cream.
Eyewash unit.
Not Available

Respiratory protection

Thermal hazards

Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

8.2.3. Environmental exposure controls See section 12

Product Name: POWEROIL OPAL LP 100
Version No.: 02 Issue Date: 1st October 2020

SDS (EU 830/2015) Page 3 of 6



Safety Data Sheet In accordance with regulations (EC) no.830/2015

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance

Physical state Liauid Color Colourless Liquid Form Odor Odorless Odour threshold Not applicable Not applicable Melting point/Pour point < -9°C (ASTM D-97) Closed cup: > 210°C Flash point **Evaporation rate** <1 (n-butyl acetate = 1)

Flammability (solid, gas) Not applicable

Flammability limits in air, 0.9

lower, % by volume

Flammability limits in air, 7.0

upper, % by volume

Vapour pressure <0.013 kPa (<0.1 mm Hg) [room temperature]

Vapour density >1 [Air = 1] Density 0.834 at 15° C

Solubility(ies)

Solubility (water) Insoluble

Partition coefficient

(n-octanol/water) Not available
Decomposition temperature No Data
Auto-ignition temperature > 280°C

Viscosity, Kinematic at 40°C (104°F) 0.18 cm²/s to 0.22 cm²/s (18.00 to 22.00 cSt)

Explosive properties No Data **Oxidising properties** No Data

9.2 Other Information Not Available

SECTION 10 STABILITY AND REACTIVITY

10.1 Reactivity Stable.

10.2 Chemical stability Under normal conditions of storage and use, hazardous reactions will not occur.

10.3 Possibility of hazardous Reactions Avoid temperatures exceeding the flash point.

10.4 Conditions to avoidNo specific data.10.5 Incompatible materialsNo specific data.

10.6 Hazardous decomposition Under normal conditions of storage and use, hazardous decomposition products should

products not be produced.

SECTION 11 TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Toxic Dose 1 - LD 50 >5000 mg/kg (oral rat)

Acute toxicity:

Acute toxicity (Dermal LD50) >5000 mg/kg Rat

Inhalation Not relevant at normal room temperatures. When heated, irritating vapours may be formed.

IngestionMay cause discomfort if swallowed.Skin contactNo specific health warnings noted.Eye contactNo specific health warnings noted.

Health Warnings Observe good chemical hygiene practices.

Route of entry Ingestion. Skin and/or eye contact. **Medical Symptoms** Diarrhoea. Nausea, vomiting

Product Name : POWEROIL OPAL LP 100

SDS (EU 830/2015)

Version No. : 02 Issue Date : 1st October 2020

Page 4 of 6



Safety Data Sheet In accordance with regulations (EC) no.830/2015

SECTION 12 ECOLOGICAL INFORMATION

12.1 Toxicity

Acute fish Toxicity

No considered toxic to fish

LC50, 96 Hrs., Fish >1000 mg/l EC50, 48 Hrs., Daphnia >1000 mg/l IC 50, 72 Hrs., Algae >1000 mg/l

12.2 Persistence and degradability

degradability

The product is not readily biodegradable.

12.3 Bioaccumulative potential

Bioaccumulation potential Will not bio-accumulate

12.4 Mobility in soil

Mobility The product is insoluble in water and will spread on the water surface.

12.5 Results of PBT and vPvB assessment

| | P | В | Т |
|-------------------------|---------------|---------------|---------------|
| Relevant available data | Not available | Not available | Not available |
| PBT Criteria fulfilled? | Not available | Not available | Not available |

12.6 Other adverse effects

No data available

SECTION 13 DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

A Hierarchy of Controls seems to be common - the user should investigate:

- Reduction
- Reuse

Product / Packaging disposal

- Recycling
- Disposal (if all else fails)

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to reclaim the product by filtration, distillation or some other means. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate.

Waste treatment options Not available

Sewage disposal options Not available

SECTION 14 TRANSPORT INFORMATION

General The product is not covered by international regulation on the transport of dangerous

goods(IMDG,IATA,ADR/RID)

14.1 UN Number Not classified as dangerous goods for transport.

14.2 UN proper shipping nameNot applicable14.3 Transport hazard class(es)Not applicable14.4 Packing groupNot applicable

14.5 Environmental hazards Not classified as marine pollutant/environmentally hazardous.

14.6 Special precautions for user
14.7 Transport in bulk according to
Not applicable

Annex II of MARPOL 73/78 and the

IBC Code

Product Name : POWEROIL OPAL LP 100
Version No. : 02 Issue Date : 1st October 2020



Safety Data Sheet In accordance with regulations (EC) no.830/2015

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

National Regulations

Water Hazard Class (Germany): WGK 1

15.2. Chemical safety assessment Not Available

16 - Other Information

Abbreviations

IMDG – CODE International maritime dangerous goods code.

ICAO International Civil Aviation Organization
IATA International air transport association

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is

not

to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Product Name : POWEROIL OPAL LP 100 Version No. : 02 Issue Date : 1st October 2020