



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS
The National Standards Body of India

6ठा मंजिल, गृह निर्माण भवन
सचिवालय मार्ग भुवनेश्वर - 751001
6th Floor, Gruha Nirman Bhawan,
Sachivalaya Marg, Bhubaneswar- 751001
दुरभाष / Phone - 0674-2394193 / 2391727
ई-मेल / Email: bhbo@bis.gov.in

SPEED POST

Our Ref: BHBO/CM/L-5200132374

Dated: 18/07/2024

Subject: Grant of BIS Product Certification Licence No.CM/L-5200132374 as per
IS 733 : 1983

M/S APAR INDUSTRIES LIMITED
KHATA NO.- 326/360, 326/386,290,130
PLOT NO.- 1931, VILL- DERBA
POST- GHICHAMURA
TEHSIL- RENGALI
DIST- SAMBALPUR
ODISHA- 768212

Dear Madam(s)/Sir(s),

With reference to your application, we are pleased to inform you that the Certification Marks Licence has been granted to you to use the Standard Mark in respect of the followings:

Product : Wrought Aluminium and Aluminium Alloy Bars, Rods and Sections (for General Engineering Purposes)

- | | | |
|------|---------|--|
| i) | Grade | Rod of diameter 7 mm, Temper Designation- T8, Designation: 65032 |
| ii) | Type | |
| iii) | Class | |
| iv) | Variety | |

As per IS 733 : 1983

2. The number assigned to this Licence is **CM/L- 5200132374** which has been made operative from **14-07-2024** and is valid up to **13-07-2025**. The licence number shall invariably be referred to in your future correspondence.

3. The licence is granted on the explicit condition that you shall mark entire production under scope of licence with Standard Mark and maintain conformity to the relevant Indian Standards. Accordingly, you shall cover the entire production under scope of licence with Standard Mark and maintain conformity to the relevant Indian Standards. In addition, you shall display the BIS product certification licence held by you prominently at your premises and also mention the BIS product certification licence held by you in your commercial advertisements.

4. According to Sub-Paragraph (1) & (3) of Paragraph 5 of Scheme-I of Schedule-II under Bureau of Indian Standards (Conformity Assessment) Regulations, 2018, the annual licence fee of Rs.1000.00 and the marking fee as notified is payable by you with effect from **14.07.2024** for the period of validity of the licence in advance.

Contd..P/2

मुख्यालय : मानक भवन, 9 बहादुरशाह जफर मार्ग, नई दिल्ली - 110002
Headquarters : Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi - 110002

5. Minimum Marking fee stipulated under Scheme-I of BIS (Conformity Assessment) Regulations, 2018 is payable by you regardless of the fact whether you actually mark your product or not with the Standard Mark. Our Receipt No. **R/AA52PC2024000446 dt.24.06.2024** for the licence fee and the minimum marking fee for the first operative period is already issued.

6. This advance minimum marking fee will be carried over to the next year on every renewal. The actual marking fee calculated on the unit rate on the production marked or the minimum marking fee, whichever is higher, shall be payable by you at the time of renewal.

7. With a view to streamlining the reporting of quantity marked, calculation and collection of marking fee on the unit rate basis, fees will be calculated on the production marked during the first nine months of operation of the licence at the time of first renewal, and on the production marked during twelve months comprising the last three months of the previous operative year and the first nine months of the current operative year, at the time of the second and subsequent renewals. In case the licence expires, the entire production marked till the expiry date shall be taken into account for calculating the marking fee payable.

8. The Scheme of Inspection and Testing (SIT) as specified by BIS will have to be implemented by your organisation strictly and completely. This supervision of the operation of the Scheme shall be done by a person responsible for the quality control function in your organisation. Kindly inform us the name and designation of the person who will be held responsible for the operation and maintenance of the Scheme. Any future change in this respect will have to be communicated by you to us as and when these take place.

9. We are enclosing a sheet giving the preferred dimensions of the Standard Mark to enable you to prepare the designs of the Standard Mark for marking the above product. Photographic reduction in any size is permissible. This will ensure the relative proportions of the different dimensions maintained. Preferred dimensions be used as far as possible.

10. On commencement of marking of your product for which you are licensed, you may advertise your product with Standard Mark in various media only during the validity of your licence. The use of Standard Mark on letterheads and publicity literature will be permitted only on receipt of your assurance that in the event of cancellation or lapsing of your licence, the Standard Mark on your letterheads, publicity literatures etc. will be destroyed/obliterated.

Contd..P/3

11. This licence is granted for your manufacturing premises situated at **Khata No.- 326/360, 326/386,290,130, Plot No.- 1931, Vill- Derba, Post- Ghichamura, Tehsil- Rengali, Dist- Sambalpur, Odisha- 768212.** Privileges under the licence shall not be exercised by any other firm company/factory etc. This licence is not transferable in the event of shifting the manufacturing and testing equipment from the licensed premises to some other place, use of Standard Mark shall be stopped till the new premises are inspected and found to be satisfactory by BIS in respect of manufacturing and testing facilities available there and the address of the new premises is endorsed in the licence.

12. You are also advised to make yourself and other employees in your organisation aware about the provisions of the BIS Act, 2016 and Rules and Regulations framed thereunder especially the implications in case of any intentional or unintentional non-adherence.

13. It may be noted that this licence is granted under option 2 which is subject to the condition that if samples drawn on 02.07.2024 by BIS during the verification visit before grant of licence fail to conform to the requirements of relevant Indian Standard (in any requirement), the licence shall be put under suspension, and in case fresh sample after corrective action is not offered within one month or fresh sample fails to conform to the requirement of relevant Indian Standard, in any requirement, the licence shall be processed for cancellation (Applicable for GoL under option 2).

Thanking you,

Encl: As above.

Yours faithfully,



(A. K. Purohit)

Scientist-F/Sr. Director & Head

ए.के. पुरोहित / A.K. Purohit
बैज्ञानिक - एफ / Scientist-F
वरिष्ठ निदेशक एवं प्रमुख
Senior Director & Head
भारतीय मानक ब्यूरो, भुवनेश्वर शाखा कार्यालय
Bureau of Indian Standards
Bhubaneswar Branch Office

भारतीय मानक ब्यूरो
Bureau of Indian Standards
मानक चिह्न के उपयोग के लिए अनुज्ञप्ति
Licence for the use of Standard Mark

लाइसेंस सं. सीएम/एल- 5200132374

Licence No. CM/L- 5200132374

यह ब्यूरो, भारतीय मानक ब्यूरो अधिनियम, 2016 (2016 का 11) द्वारा प्रदत्त शक्तियों के आधार पर

मेसर्स अपार इंडस्ट्रीज लिमिटेड

खाता नं.- 326/360, 326/386,290,130

प्लॉट नं.- 1931, गांव- डेरबा

पोस्ट- घिचमुरा, तहसील- रेंगाली

जिला- संबलपुर, ओड़िशा- 768212

को (जिसे इसमें आगे 'अनुज्ञप्तिधारी' कहा गया है) इसकी अनुसूची के पहले स्तंभ में विनिर्दिष्ट मानक चिह्न का, इस अनुसूची के तीसरे स्तंभ में दी गयी किस्मों पर, उपयोग करने के लिए यह अनुज्ञप्ति प्रदान करता है। इन उत्पादित किस्मों पर चिह्न का उपयोग उक्त अनुसूची के द्वितीय स्तंभ में समय-समय पर संशोधित अथवा पुनरीक्षित/संदर्भित संबद्ध भारतीय मानक (मानकों) के अनुसार/अनुरूप विनिर्मित हो।

By virtue of the power conferred on it by the Bureau of Indian Standards Act, 2016 (11 of 2016) the Bureau hereby grants to

M/S APAR INDUSTRIES LIMITED
KHATA NO.- 326/360, 326/386,290,130
PLOT NO.- 1931, VILL- DERBA
POST- GHICHAMURA
TEHSIL- RENGALI
DIST- SAMBALPUR
ODISHA- 768212

(hereinafter called the licensee) this licence to use the Standard Mark set out in the first column of the Schedule hereto, upon or in respect of the varieties set out in the third column of the said Schedule which is manufactured in accordance with/conforms to the related Indian Standard(s) referred to in the second column of the said Schedule as from time to time amended or revised.

2. इस अनुज्ञप्ति में अनुबंध अनुज्ञप्ति की शर्तों के लिए अनुज्ञप्तिधारी उत्तरदायी है। यह अनुज्ञप्ति अनुसूची में यथा-उल्लिखित नाम, कारखाना के पते और अवधि के लिए विधिमान्य होगा और इसे स्कीम-1 में निर्दिष्टानुसार नवीकृत कराया जा सकता है।

This licence carries obligations on part of the licensee as conditions of licence, which are given in Annexure attached herewith. This licence shall be valid for the name, factory address and period as mentioned in the schedule and may be renewed as specified in the scheme-I.

Bureau of Indian Standards
Bhubaneswar Branch Office

अनुसूची
Schedule

(अनुज्ञप्ति सं. सीएम/एल- 5200132374)
(Licence No. CM/L- 5200132374)

नाम: मेसर्स अपार इंडस्ट्रीज लिमिटेड

Name: M/S APAR INDUSTRIES LIMITED


कारखाने का पता: खाता नं.- 326/360, 326/386,290,130, प्लॉट नं.- 1931, गांव- डेरबा

पोस्ट- घिचमुरा, तहसील- रेंगाली, जिला- संबलपुर, ओड़िशा- 768212

Factory Address: KHATA NO.- 326/360, 326/386,290,130, PLOT NO.- 1931, VILL- DERBA
POST- GHICHAMURA, TEHSIL- RENGALI, DIST- SAMBALPUR, ODISHA- 768212

विधिमान्यता : चौदहवां जुलाई दो हजार चौबीस से तेरहवां जुलाई दो हजार पच्चीस तक

Validity From : Fourteenth July Two Thousand Twenty Four to Thirteenth July Two
Thousand Twenty Five.

मानक चिह्न Standard Mark	भारतीय मानक Indian Standard	अनुज्ञप्ति का विषय क्षेत्र Scope of Licence	चिह्नांकन फीस Marking Fee
(1)	(2)	(3)	(4)
IS 733  CM/L- 5200132374	IS 733 : 1983 Wrought Aluminium and Aluminium Alloy Bars, Rods and Sections (for General Engineering Purposes)	Rod of diameter 7 mm, Temper Designation- T8, Designation: 65032	एक वर्ष की प्रचालन अवधि के दौरान न्यूनतम मुहरांकन फीस रु.72,000.00 के साथ सभी इकाईयों के लिए रु.34.30 प्रति इकाई। इकाई = 1 मीट्रिक टन Rs.34.30 per unit for all units with a Minimum Marking Fee of Rs.72,000.00 during an operative period of one year. UNIT = 1 MT एक प्रचालन वर्ष के लिए न्यूनतम मुहरांकन शुल्क अग्रिम में देय होगी जो अगले नवीकरण में अग्रणीत होगी। Minimum marking fee for one operative year payable in advance which will be carried over to next renewal(s).

आज वर्ष दो हजार चौबीस के जुलाई माह की _____ तारीख को हस्ताक्षरित, मुहरबंद किया गया।

Signed, Sealed and Dated this 18th day of July Month of Year Two Thousand
Twenty Four.

कृते भारतीय मानक ब्यूरो के लिए
for Bureau of Indian Standards



(ए. के. पुरोहित)

वैज्ञानिक-एफ/वरिष्ठ निदेशक एवं प्रमुख

ए.के. पुरोहित / A.K. Purohit
वैज्ञानिक - एफ / Scientist-F
वरिष्ठ निदेशक एवं प्रमुख
Senior Director & Head
भारतीय मानक ब्यूरो, भुवनेश्वर शाखा कार्यालय
Bureau of Indian Standards
Bhubaneswar Branch Office



उपाबंध
(अनुज्ञप्ति सं. सीएम/एल-5200132374)
अनुज्ञप्ति की शर्तें

- (1) मानक चिन्ह का डिजाइन अनुज्ञप्ति में दी गई प्रतिकृति के आनुषंगिक होगा।
- (2) मानक चिन्ह के फोटोग्राफिक विस्तार अथवा लघुगणन का उपयोग भी किया जा सकता है, जब तक ब्यूरो द्वारा कोई अन्य विनिर्दिष्टि न दिए गए हों।
- (3) अनुज्ञप्तिधारी उस संबद्ध माल, वस्तुओं, प्रक्रिया, प्रणाली अथवा सेवा की भारतीय मानक के अनुसार अनुरूपता के लिए उत्तरदायी होगा जिसके लिए मानक चिन्ह का उपयोग अथवा अनुप्रयोग किया गया है।
- (4) अनुज्ञप्तिधारी उस, माल वस्तुओं, प्रक्रिया, प्रणाली अथवा सेवा के लिए मानक चिन्ह का उपयोग नहीं करेगा जो गैर-अनुरूप अथवा अनुज्ञप्ति के विषय-क्षेत्र से बाहर हैं।
- (5) जिस माल और वस्तुओं के लिए मानक चिन्ह का उपयोग किया गया है अगर वे संबद्ध मानक की अपेक्षाओं के अनुरूप नहीं हैं, तो ब्यूरो अनुज्ञप्तिधारी अथवा उसके प्रतिनिधि को ऐसे गैर-अनुरूपता वाले माल के वापिस लेने का निदेश दे सकता है।
- (6) अनुज्ञप्ति के आस्थगन अथवा निलंबन के दौरान अथवा उसकी समाप्ति अथवा रद्द होने के पश्चात किसी संबद्ध माल, वस्तु, प्रक्रिया, उपयोग अथवा सेवा के लिए मानक चिन्ह का उपयोग अथवा अनुप्रयोग नहीं किया जाएगा।
- (7) अनुज्ञप्तिधारी को उस अनुरूपता आकलन योजना के उपाबंधों का पालन करना होगा जिसके अंतर्गत उसे अनुज्ञप्ति प्रदान किया गया है, जिसमें लेबलिंग और चिन्हांकन अपेक्षाएं भी शामिल हैं।
- (8) अनुज्ञप्तिधारी ब्यूरो द्वारा समय-समय पर यथा-विनिर्दिष्टि अभिलेख अनुरक्षित रखेगा।
- (9) अनुरूपता प्रमाणपत्र धारक अपने परिसर में निरीक्षण, लेखा परीक्षा या निर्धारण, जैसा भी लागू हो, करने के संबंध में ब्यूरो की पूरी सहायता करेगा। "और ऐसी सहायता में प्रमाणन अधिकारी द्वारा मुहरांकित और सीलबंद किए गए नमूनों को अभिहित कार्यालय या प्रयोगशाला में भेजना शामिल होगा और निरीक्षण, संपरीक्षा या मूल्यांकन की तारीख से सात दिन के भीतर अभिहित कार्यालय या प्रयोगशाला को इन नमूनों को प्रेषित करना सुनिश्चित करना होगा"
- (10) अनुज्ञप्तिधारी उत्पाद और मानक चिन्ह के उपयोग अथवा अनुप्रयोग से संबंधित जानकारी जब ब्यूरो को अपेक्षित हो, प्रदान करेगा।
- (11) यदि माल अथवा वस्तुओं पर मानक चिन्ह का उपयोग अथवा अनुप्रयोग के लिए अनुज्ञप्ति प्रदान किया गया हो तो अनुज्ञप्तिधारी को उन परेषिती, वितरकों, ब्यौहारी अथवा फुटकर विक्रेता की सूची देनी होगी, जिनको मानक चिन्ह वाले माल अथवा वस्तुओं की आपूर्ति की गई है।
- (12) ब्यूरो के अनुमोदन के बिना अनुज्ञप्ति किसी व्यक्ति को अंतरित नहीं किया जाएगा।
- (13) मानक चिन्ह वाले किसी माल, वस्तुओं, प्रक्रिया, प्रणाली अथवा सेवा से संबंधित शिकायत प्रमाणित होने पर ब्यूरो अनुज्ञप्तिधारी अथवा उसके प्रतिनिधि को मानक मुहरांकित माल और वस्तुओं की मरम्मत अथवा बदलने अथवा पुनर्निर्माण के निर्देश दे सकता है।
- (14) अनुज्ञप्तिधारी को कम से कम एक माह के नोटिस देकर ब्यूरो, अनुज्ञप्ति की किसी शर्त को संशोधन का अधिकार रखता है।

अस्तु



ए.के. पुरोहित / A.K. Purohit
वैज्ञानिक - एफ / Scientist-F
वरिष्ठ निदेशक एवं प्रमुख
Senior Director & Head
भारतीय मानक ब्यूरो, भुवनेश्वर शाखा कार्यालय
Bureau of Indian Standards
Bhubaneswar Branch Office

Annexure
(Licence No. CM/L-5200132374)
Conditions of Licence

- (1) The design of Standard Mark shall be identical to the facsimile given in the licence.
- (2) The photographic enlargement or reduction of the Standard Mark may also be used, unless otherwise specified by the Bureau.
- (3) The licensee shall be responsible for the conformity of the goods, article, process, system or service to the Indian Standard in relation to which Standard Mark is used or applied.
- (4) The licensee shall not use the Standard mark in relation to goods, articles, process, system or service which are non-conforming or outside the scope of the licence.
- (5) If goods and articles in relation to which a Standard Mark has been used do not conform to the requirements of the relevant standard, the Bureau may direct the licensee or his representative to recall such non-conforming goods.
- (6) The Standard Mark shall not be used or applied in relation to any goods, article, process, system or service during deferment or suspension, or, after expiry or cancellation of the licence.
- (7) The licensee shall comply with the provisions of the conformity assessment scheme under which licence is granted, including labelling and marking requirement.
- (8) The licensee shall maintain records as specified by the Bureau from time to time.
- (9) The licensee shall provide the Bureau all assistance in connection with carrying out inspection or audit or evaluation, as applicable, at its premises and such assistance shall include sending samples which have been marked and sealed by the certification officer to the designated office or laboratory and ensuring that such sample is dispatched to the designated office or laboratory within seven days from the date of inspection, audit or evaluation.
- (10) The licensee shall provide information relating to production and use or applying of Standards Mark as and when it is required by the Bureau.
- (11) If the licence is granted to use or apply Standard Mark on goods or articles, the licensee shall provide the list of consignees, distributors, dealers or retailers to whom goods or articles with Standard Mark is supplied.
- (12) The licence shall not be transferred to any person without approval of the Bureau.
- (13) If a complaint regarding quality of any goods, article, process, system or service bearing Standard Mark is established, the Bureau may direct the licensee or his representative to repair or replace or reprocess the standard marked goods and articles.
- (14) The Bureau shall have the right to amend any of the conditions of licence by giving a notice of not less than one month to the licensee.

BUREAU OF INDIAN STANDARDS
Bhupaneswar Branch Office

PREFERRED DESIGNS OF MONOGRAM FOR STANDARD MARK




FIG. 1 MONOGRAM FOR STANDARD MARK

The monogram of the Standard Mark consists of the pictorial representation, drawn in the exact style as indicated in Fig. 1 and in relative proportions as given in Table 1.

Table 1 Preferred Dimensions of Monogram
All dimensions in millimeters

A	B	a	R	r	SIZE OF LETTERS
2.5	1.9	0.2	0.4	-	1.0 mm
5	3.8	0.4	0.8	0.1	1.0 mm
10	7.5	0.7	1.7	0.2	2.0 mm
20	15	1.5	3.3	0.5	3.0 mm
40	30	2.9	6.7	1.0	4.0 mm
80	60	5.9	13.4	1.9	6.0 mm
160	120	11.7	26.7	3.8	10.0 mm
320	240	23.4	53.4	7.6	16.0 mm